

**THE QUATERNARY OF
THE ISLE OF MAN
AND NORTHWEST ENGLAND**

Field Guide

**Edited by
R.C. CHIVERRELL, A.J. PLATER
AND G.S.P. THOMAS**

Contents

Introduction	1
Quaternary landscape evolution of the Isle of Man, Lancashire and southeast Cumbria	
The glacial deposits of the region	5
The termination of the Devensian ice age	8
Late Quaternary Relative Sea-level Trends in the Irish Sea Region	11
Holocene climate change, vegetation and environmental history	20
The prehistoric and early historic archaeology	29
Day 1	
Glaciation of the north of the Isle of Man	39
The glacial landsystem signature of the south Isle of Man	44
Postglacial evolution of the uplands: Laxey and Sulby Glen	53
Multiple readvance: the Jurby episode	62
Glen Balleira: evidence for late glacial environmental change	73
Day 2	
Ballagh Curragh: Holocene vegetation history	94
Later Mesolithic woodland disturbance and probable early cereal	99
Lhen Trench: Aspects of the Prehistoric Heritage	106
New data on Holocene sea-level changes on the Isle of Man	112
The Ayres: cliff line and raised beach	124
Day 3	
Hawes Water	136
Peatlands of the south Lake District	155
Deer Dyke Moss	156
Deer Dyke Moss: vegetation history and human impact	161
Palaeomoisture records from Heathwaite Moss, South Cumbria:	164
Carlingill, Howgill Fells	177
Day 4	
The Shirdley Hill Sand	194
South Lancashire Mosslands – High Resolution Evidence of Holocene	201
Formby Point Foreshore: Palaeoenvironment and Archaeology	206
The Potential of Carbon Isotopes as Indicators of Coastal	217
Langley Brook (Martin Mere)	225




Figure A.1 Location of sites visited.

Uplands stopping at Laxey Glen and Snæfell to set the scene for glaciation of the Island and to discuss Holocene modification of the upland landscape before entering the lowlying northern coastal plain. On the west coast between Killane River and